


# Forte Biosciences Inc. (Tue, May 07, 2024)

Sell candidate since May 07, 2024

StockInvest.us  
Gyneju st. 14, "ROCKIT"  
Vilnius, LT-01109  
Lithuania



score: **-2.51**  
#/ 30035

Trend: Buy  
MV Long: Sell  
MV Short: Buy  
Pivot: Buy  
Volume: Sell  
MACD: Sell

## Tech commentaries:

The **Forte Biosciences Inc.** stock price fell by **-1.26%** on the last day (Tuesday, 7th May 2024) from **\$0.720** to **\$0.711**. During the last trading day the stock fluctuated **5.50%** from a day low at **\$0.711** to a day high of **\$0.750**. The price has risen in 6 of the last 10 days but is still down by **-3.75%** for this period. Volume fell on the last day along with the stock, which is actually a good sign as volume should follow the stock. On the last day, the trading volume fell by **-794** shares and in total, **10** thousand shares were bought and sold for approximately **\$7.39** thousand.

The stock lies in the middle of a wide and weak rising trend in the short term and a further rise within the trend is signaled. Given the current short-term trend, the stock is expected to rise **7.06%** during the next 3 months and, with a 90% probability hold a price between **\$0.697** and **\$0.86** at the end of this 3-month period.

A buy signal was issued from a pivot bottom point on **Wednesday, May 01, 2024**, and so far it has risen 5.95%. Further rise is indicated until a new top pivot has been found. Some negative signals were issued as well, and these may have some influence on the near short-term development. The **Forte Biosciences Inc.** stock holds a buy signal from the short-term Moving Average; at the same time, however, the long-term average holds a general sell signal. Since the longterm average is above the short-term average there is a general sell signal in the stock giving a more negative forecast for the stock. On further gains, the stock will meet resistance from the long-term Moving Average at **\$0.715**. On a fall, the stock will find some support from the short-term average at **\$0.710**. A break-up through the long-term average will give another buy signal, while a fall below the short-term average will add another sell signal and strengthen the general signal. Furthermore, there is currently a sell signal from the 3 month Moving Average Convergence Divergence (MACD). Volume fell along with the price during the last trading day which is technical positive. One should, however, note that this stock may have low liquidity in periods, which increases the general risk. The very low volume increases the risk and reduces the other technical signals issued.

**Forte Biosciences Inc.** finds support from accumulated volume at **\$0.701** and this level may hold a buying opportunity as an upwards reaction can be expected when the support is being tested. On the upside the stock meets some resistance just above today's level from accumulated volume at **\$0.720**, **\$0.724** and **\$0.740**.

This stock has average movements during the day, but be aware of low or falling volume as this increases the risk. During the last day, the stock moved **\$0.0391** between high and low, or **5.50%**. For the last week the stock has had daily average volatility of **8.21%**.

**Forte Biosciences Inc.** holds several negative signals and we believe that it will still perform weakly in the next couple of days or weeks. We, therefore, hold a negative evaluation of this stock. Due to some small weaknesses in the technical picture we have downgraded our analysis conclusion for this stock since the last evaluation from a Buy to a Sell candidate.

Risk: **Medium**

Evaluation: **Sell Candidate**

Disclaimer: StockInvest.us is a research service that provides financial data and technical analysis of stocks. All users should speak with their financial advisor before buying or selling any securities. Users should not base their investment decision upon "StockInvest.us". By using the site you agree and are held liable for your own investment decisions and agree to Terms of Use and Privacy Policy.