

Milestone Scientific (Fri, May 03, 2024)

Buy candidate since May 01, 2024

Gain 1.56%

StockInvest.us
Gyneju st. 14, "ROCKIT"
Vilnius, LT-01109
Lithuania



score: **0.0770**
#/ 30045

Trend: Sell
MV Long: Buy
MV Short: Buy
Pivot: Sell
Volume: Sell
MACD: Buy

Tech commentaries:

The **Milestone Scientific** stock price fell by **-6.61%** on the last day (Friday, 3rd May 2024) from **\$0.696** to **\$0.650**. During the last trading day the stock fluctuated **4.40%** from a day low at **\$0.650** to a day high of **\$0.679**. The price has risen in 7 of the last 10 days and is up by **17.97%** over the past 2 weeks. Volume fell on the last day along with the stock, which is actually a good sign as volume should follow the stock. On the last day, the trading volume fell by **-136 thousand** shares and in total, **80 thousand** shares were bought and sold for approximately **\$52.03 thousand**.

The stock lies in the middle of a very wide and falling trend in the short term and further fall within the trend is signaled. Given the current short-term trend, the stock is expected to fall **-12.30%** during the next 3 months and, with a 90% probability hold a price between **\$0.461** and **\$0.623** at the end of this 3-month period. Do note, that if the stock price manages to stay at current levels or higher, our prediction target will start to change positively over the next few days as the conditions for the current predictions will be broken.

The **Milestone Scientific** stock holds buy signals from both short and long-term Moving Averages giving a positive forecast for the stock. Also, there is a general buy signal from the relation between the two signals where the short-term average is above the long-term average. On corrections down, there will be some support from the lines at **\$0.621** and **\$0.619**. A breakdown below any of these levels will issue sell signals. Furthermore, there is a buy signal from the 3 month Moving Average Convergence Divergence (MACD). Some negative signals were issued as well, and these may have some influence on the near short-term development. A sell signal was issued from a pivot top point on **Thursday, May 02, 2024**, and so far it has fallen -6.61%. Further fall is indicated until a new bottom pivot has been found. Volume fell along with the price during the last trading day which is technical positive. One should, however, note that this stock may have low liquidity in periods, which increases the general risk. The very low volume increases the risk and reduces the other technical signals issued.

Milestone Scientific finds support from accumulated volume at **\$0.627** and this level may hold a buying opportunity as an upwards reaction can be expected when the support is being tested. On the upside the stock meets some resistance just above today's level from accumulated volume at **\$0.680**, **\$0.696** and **\$0.760**.

This stock has average movements during the day, but be aware of low or falling volume as this increases the risk. During the last day, the stock moved **\$0.0286** between high and low, or **4.40%**. For the last week the stock has had daily average volatility of **9.70%**.

Milestone Scientific holds several positive signals, but we still don't find these to be enough for a buy candidate. At the current level, it should be considered as a hold candidate (hold or accumulate) in this position whilst awaiting further development. Due to some small weaknesses in the technical picture we have downgraded our analysis conclusion for this stock since the last evaluation from a Buy to a Hold/Accumulate candidate.

Risk: **Medium**

Evaluation: **Hold/Accumulate**

Disclaimer: StockInvest.us is a research service that provides financial data and technical analysis of stocks. All users should speak with their financial advisor before buying or selling any securities. Users should not base their investment decision upon "StockInvest.us". By using the site you agree and are held liable for your own investment decisions and agree to Terms of Use and Privacy Policy.