


Stericycle (Tue, Apr 30, 2024)

Sell candidate since Apr 25, 2024

Loss -3.83%

StockInvest.us
Gyneju st. 14, "ROCKIT"
Vilnius, LT-01109
Lithuania



score: **-1.94**

#13133/ 30074

Trend: Hold
MV Long: Sell
MV Short: Sell
Pivot: Sell
Volume: Sell
MACD: Sell

Tech commentaries:

The **Stericycle** stock price fell by **-1.52%** on the last day (Tuesday, 30th Apr 2024) from **\$45.42** to **\$44.73**. It has now fallen 6 days in a row. During the last trading day the stock fluctuated **2.55%** from a day low at **\$44.72** to a day high of **\$45.86**. The price has fallen in 7 of the last 10 days and is down by **-8.57%** for this period. Volume fell on the last day along with the stock, which is actually a good sign as volume should follow the stock. On the last day, the trading volume fell by **-157 thousand** shares and in total, **564 thousand** shares were bought and sold for approximately **\$25.23** million.

Given the current horizontal trend, you can expect **Stericycle** stock with a 90% probability to be traded between \$44.43 and \$55.01 at the end of this 3-month period. A break of a horizontal trend is often followed by a large increase in the volume, and stocks seldom manage to go directly from the bottom of a trend up to the top. Stocks turning up in the middle of a horizontal trend are therefore considered to be potential runners.

There are few to no technical positive signals at the moment. The **Stericycle** stock holds sell signals from both short and long-term Moving Averages giving a more negative forecast for the stock. Also, there is a general sell signal from the relation between the two signals where the long-term average is above the short-term average. On corrections up, there will be some resistance from the lines at **\$47.73** and **\$50.74**. A break-up above any of these levels will issue buy signals. A sell signal was issued from a pivot top point on **Wednesday, February 28, 2024**, and so far it has fallen -19.62%. Further fall is indicated until a new bottom pivot has been found. Furthermore, there is currently a sell signal from the 3 month Moving Average Convergence Divergence (MACD). Volume fell together with the price during the last trading day and this reduces the overall risk as volume should follow the price movements.

There is no support from accumulated volume below today's level and given the right condition the stock may perform very badly in the next couple of days. On the upside the stock meets some resistance just above today's level from accumulated volume at **\$46.51**, **\$48.59** and **\$55.65**.

This stock has average movements during the day and with good trading volume, the risk is considered to be medium. During the last day, the stock moved **\$1.14** between high and low, or **2.55%**. For the last week, the stock has had daily average volatility of **3.26%**.

Stericycle holds several negative signals and is within a wide and falling trend, so we believe it will still perform weakly in the next couple of days or weeks. We therefore hold a negative evaluation of this stock.

Risk: **Medium**

Evaluation: **Sell Candidate**

Disclaimer: StockInvest.us is a research service that provides financial data and technical analysis of stocks. All users should speak with their financial advisor before buying or selling any securities. Users should not base their investment decision upon "StockInvest.us". By using the site you agree and are held liable for your own investment decisions and agree to Terms of Use and Privacy Policy.